

HP-2530-48G-PoEP# show running-config

Running configuration:

; J9772A Configuration Editor; Created on release #YA.16.04.0016

; Ver #10:19.02.13.98.82.34.61.18.28.f3.84.9c.63.ff.37.27:00

hostname "HP-2530-48G-PoEP"

igmp fastlearn 1-52

power-over-ethernet pre-std-detect ports 1-48

ip default-gateway 10.2.0.254

interface 1

 poe-lldp-detect enabled

 exit

interface 2

 poe-lldp-detect enabled

 exit

interface 3

 poe-lldp-detect enabled

 exit

interface 4

 poe-lldp-detect enabled

 exit

interface 5

 poe-lldp-detect enabled

 exit

interface 6

 poe-lldp-detect enabled

 exit

interface 7

poelldp-detect enabled

exit

interface 8

poelldp-detect enabled

exit

interface 9

poelldp-detect enabled

exit

interface 10

poelldp-detect enabled

exit

interface 11

poelldp-detect enabled

exit

interface 12

poelldp-detect enabled

exit

interface 13

poelldp-detect enabled

exit

interface 14

poelldp-detect enabled

exit

interface 15

poelldp-detect enabled

exit

interface 16

poelldp-detect enabled

exit

interface 17

 poe-lldp-detect enabled

 exit

interface 18

 poe-lldp-detect enabled

 exit

interface 19

 poe-lldp-detect enabled

 exit

interface 20

 poe-lldp-detect enabled

 exit

interface 21

 poe-lldp-detect enabled

 exit

interface 22

 poe-lldp-detect enabled

 exit

interface 23

 poe-lldp-detect enabled

 exit

interface 24

 poe-lldp-detect enabled

 exit

interface 25

 poe-lldp-detect enabled

 exit

interface 26

 poe-lldp-detect enabled

exit

interface 27

poelldp-detect enabled

exit

interface 28

poelldp-detect enabled

exit

interface 29

poelldp-detect enabled

exit

interface 30

poelldp-detect enabled

exit

interface 31

poelldp-detect enabled

exit

interface 32

poelldp-detect enabled

exit

interface 33

poelldp-detect enabled

exit

interface 34

poelldp-detect enabled

exit

interface 35

poelldp-detect enabled

exit

interface 36

poe-lldp-detect enabled

exit

interface 37

poe-lldp-detect enabled

exit

interface 38

poe-lldp-detect enabled

exit

interface 39

poe-lldp-detect enabled

exit

interface 40

poe-lldp-detect enabled

exit

interface 41

poe-lldp-detect enabled

exit

interface 42

poe-lldp-detect enabled

exit

interface 43

poe-lldp-detect enabled

exit

interface 44

poe-lldp-detect enabled

exit

interface 45

poe-lldp-detect enabled

exit

interface 46

poelldp-detect enabled

exit

interface 47

poelldp-detect enabled

exit

interface 48

poelldp-detect enabled

exit

snmp-server community "public" unrestricted

snmp-server contact "Ing.o Juan Acero" location "Colanta Funza"

vlan 1

name "DEFAULT_VLAN"

no untagged 3-48

untagged 1-2,49-52

ip address 10.2.0.251 255.255.255.0

exit

vlan 2

name "INVITADOS"

tagged 1-2,49

no ip address

exit

vlan 3

name "VOIP"

tagged 1-52

no ip address

exit

vlan 4

name "ADMON"

tagged 1-2,49

no ip address

exit

vlan 5

name "PRODUCCION"

untagged 3-9,11-48

tagged 1-2,49

no ip address

exit

vlan 6

name "SUMIMANTE"

tagged 1-2,49

no ip address

exit

vlan 7

name "RECIBO"

tagged 1-2,49

no ip address

exit

vlan 8

name "VENTAS"

tagged 1-2,49

no ip address

exit

vlan 10

name "SEGURIDAD"

untagged 10

tagged 1-2,49

no ip address

exit

allow-unsupported-transceiver

no tftp server

no dhcp config-file-update

device-profile name "default-ap-profile"

cos 0

exit

activate software-update disable

activate provision disable

password manager

password operator